



# AI IP CCTV Camera

This high-definition bullet camera is engineered for clear surveillance in low or no-light environments. Ideal for warehouses, tunnels, underground parking lots, streets, bars, and other dimly lit areas, it delivers sharp, reliable footage day and night, ensuring uninterrupted security in any condition.



## CF-IP-MBL02



Automatic ICR



IR Night Vision



Human Detection



Mobile Monitoring



Two-Way Talk



Multi-Platform Support



Automatic Electronic Shutter



Alarm Push Notification



Support Onvif



Support PoE

## Specification

<b>Camera</b>	
Megapixel	3MP / 4MP / 5MP / 8MP
Image Sensor	illumination CMOS sensor
Min. Illumination	Color: 0.01Lux @ (F1.2AGC ON): 0 Lux with IR B/W: 0.001Lux @ (F1.2AGC ON): 0 Lux with IR
Shutter Speed	1/50(1/60)s to 1/10,000s
Lens	3.6mm, 4mm, 6mm
Day & Night	IR Cut Filter with Auto Switch
<b>Network</b>	
Storage	Network storage
PoE	Support
Protocol	TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP, HTTPS, SIP, 802.1x, IPV6 Option
Security Features	Video Loss, Video Blocking, Power Protection, Password Protection
<b>Compression</b>	
Video Compression	H.265 AI (Compatible H.265/H.264) High Profile, JPEG Snapshot
Bite Rate	0.1 Mbps ~ 8 Mbps
Audio Compression	G.711a
<b>Interface</b>	
Ethernet	1*10/100 Mbps Ethernet port, RJ45 Port
Audio Input	Mic
Audio Output	Speaker, External Using Audio Wire

<b>Image</b>	
Max.Image Resolution	2048*1536, 2560*1440, 2560*1920, 3840*2160
Frame Rate	Up-To 25fps,
<b>General</b>	
Operating Temperature	-10°C ~ 65°C
Operating Humidity	10%-90% RH
Power Input	DC 12V ± 10%/POE
IR Range	IR Range Up To 30 Mtrs
Housing	ABS High Quality Metal
Consumption	Up-To 4 Watt
Zoom	Digital Zoom Applicable
Light	Dual Array Flood Light
Mounting	Wall Mount, Ceiling Mount
Features	Face Detection, Human Detection, Motion detection
Supported Device	Android, IOS

► Use Cofeonline App to View Your Device

